



TECHNICAL REPORT RDMR-SS-11-32

PATRIOT ADVANCED CAPABILITY-3 (PAC-3) VIRTUAL ENGAGEMENT SIMULATION TESTBED (VEST) SHELTER REQUIREMENTS DOCUMENT

Jeff Lyons

System Simulation and Development Directorate Aviation and Missile Research, Development, and Engineering Center

May 2012

Distribution Code A: Approved for public release; distribution is unlimited.



DESTRUCTION NOTICE

FOR CLASSIFIED DOCUMENTS, FOLLOW THE PROCEDURES IN DoD 5200,22-M, INDUSTRIAL SECURITY MANUAL, SECTION II-19 OR DoD 5200.1-R, INFORMATION SECURITY PROGRAM REGULATION, CHAPTER IX. FOR UNCLASSIFIED, LIMITED DOCUMENTS, DESTROY BY ANY METHOD THAT WILL PREVENT DISCLOSURE OF CONTENTS OR RECONSTRUCTION OF THE DOCUMENT.

DISCLAIMER

THE FINDINGS IN THIS REPORT ARE NOT TO BE CONSTRUED AS AN OFFICIAL DEPARTMENT OF THE ARMY POSITION UNLESS SO DESIGNATED BY OTHER AUTHORIZED DOCUMENTS.

TRADE NAMES

USE OF TRADE NAMES OR MANUFACTURERS IN THIS REPORT DOES NOT CONSTITUTE AN OFFICIAL ENDORSEMENT OR APPROVAL OF THE USE OF SUCH COMMERCIAL HARDWARE OR SOFTWARE.

KRPUKI IMMI HVIRINI ATHUN PALER.			Form Approved OMB No. 074-01	88
gathering and maintaining the data needed, a of information, including suggestions for red	information is estimated to average 1 hour per r nd completing and reviewing this collection of i ucing this burden to Washington Headquarters the Office of Management and Budget, Paperwd	nformation. Send comments rega Services, Directorate for Informati	eviewing instructions, arding this burden est ion Operations and Re	searching existing data sources, imate or any other aspect of this collection eports, 1215 Jefferson Davis Highway,
1.AGENCY USE ONLY	2. REPORT DATE	3. REPORT TYPE AND		
	May 2012	Final		
4. TITLE AND SUBTITLE Patriot Advanced Capabilit Testbed (VEST) Shelter Re	ty-3 (PAC-3) Virtual Engage equirements Document	ement Simulation	5. FUNDING N	UMBERS
6. AUTHOR(S) Jeff Lyons				
7. PERFORMING ORGANIZATION Commander, U.S. Army R			8. PERFORMIN REPORT NU	IG ORGANIZATION MBER
Engineering Command ATTN: RDMR-SSL-M Redstone Argental AL 358	08 5000		TR-RDM	R-SS-11-32
Redstone Arsenal, AL 358				
9. SPONSORING / MONITORING A	AGENCY NAME(S) AND ADDRESS(E	S)		NG / MONITORING EPORT NUMBER
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILIT Approved for public releas				12b. DISTRIBUTION CODE
				A
Development, and Enginee	requirements to design and frequirements to design and frequirements (AMRDEC) Systy-3 (PAC-3) Virtual Engage	stems Simulation an	d Developme	ent Directorate (SSDD)
14. SUBJECT TERMS				15. NUMBER OF PAGES
Virtual Engagement Simulation Testbed (VEST), Shelter			14 16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIF OF ABSTRACT	FICATION	20. LIMITATION OF ABSTRACT
UNCLASSIFIED	UNCLASSIFIED	UNCLASSII	FIED	SAR

NSN 7540-**01**-280-5500

Standard Form 298 (Rev. 2-89) Prescribed by ANSI Std. Z39-18 298-102

TABLE OF CONTENTS

		Page
I.	INTRODUCTION	. 1
II.	MECHANICAL REQUIREMENTS	. 1
III.	ARCHITECTURAL REQUIREMENTS	. 1
	A. Storage Room B. Main Room C. Galley	. 2
IV.	ELECTRICAL REQUIREMENTS	. 3
V.	DATA AND COMMUNICATIONS REQUIREMENTS	. 5
VI.	SAFETY AND SECURITY REQUIREMENTS	. 7
	LIST OF ABBREVIATIONS AND ACRONYMS	. 8

LIST OF ILLUSTRATIONS

<u>Figure</u>	<u>Title</u>	<u>Page</u>
1.	Interior Layout	2
2.	Electrical/Data Layout	4
3.	Patch Panel Layout	6
	LIST OF TABLES	
Table	<u>Title</u>	Page
1.	Mechanical Requirements	1
2.	Architectural Requirements	1
3.	Storage Room Requirements	2
4.	Main Room Requirements	2
5.	Galley Requirements	3
6.	Electrical Requirements	3
7.	Data and Communications Requirements	5
8.	Wiring Diagram for External RWCIU to Internal DE9	6
9.	Safety and Security Requirements	7

I. INTRODUCTION

The Patriot Advanced Capability-3 (PAC-3) Virtual Engagement Simulation Testbed (VEST) shelter is to be a mobile test unit capable of interfacing with the tactical Patriot ground system in a field test environment. The shelter is to provide the capability to house all of the equipment and personnel necessary to conduct live PAC-3 virtual engagements. As such, the following sections outline the physical requirements necessary to meet this objective.

II. MECHANICAL REQUIREMENTS

The mechanical requirements for the shelter are listed in Table 1.

Table 1. Mechanical Requirements

Number	Requirement
1	The shelter shall be a standard 53-foot trailer configuration.
2	One Belly Box shall be mounted on the underside of the trailer to provide storage
	space.
3	One U-Bolt Global Positioning System (GPS) antenna mount sized for 0.75-inch pipe
	shall be installed on the side of the trailer with the patch panel (Requirement 48).
4	One ladder shall be mounted on the exterior rear of the trailer providing roof access.
5	One Heating, Ventilation, and Air Conditioning (HVAC) unit shall be mounted on the
	forward exterior wall. HVAC shall be routed to control temperature of storage room
	and main room/galley separately. HVAC shall maintain temperature of all rooms
	between 65 °F and 76 °F.
6	The rear access door and equipment door shall be made exit only.
7	One shore power cable shall be housed on a reel on the underside of the body.
8	Two entry/exit platforms shall be installed: one below the rear exit door and one below
	the side entrance/exit door. Both platforms shall fold away, securely, to the underside
	of the trailer during transport.

III. ARCHITECTURAL REQUIREMENTS

The architectural requirements are shown in Table 2.

Table 2. Architectural Requirements

Number	Requirement
9	The interior layout of the shelter shall be customized In Accordance With (IAW)
	Figure 1.
10	The shelter shall be divided into three separate rooms, walled appropriately, with doors
	providing access between rooms. The doors shall be 28 inches in width.
11	All three rooms shall have fluorescent 120 Voltage Alternating Current (VAC) light
	fixtures mounted on the ceilings, with separate light switches in each room.
12	Five exterior lights shall be securely mounted providing nighttime illumination: one in
	the rear, two in front, and one on both sides of the trailer. Two switches shall be
	installed: one in the main room and one in the aft room.
13	The floor shall be tiled.




Figure 1. Interior Layout

A. Storage Room

The storage room requirements are shown in Table 3.

Table 3. Storage Room Requirements

Number	Requirement
14	The aft room shall be approximately 12 feet in length.
15	One 19-inch computer rack shall be mounted to the floor IAW Figure 1. The rack shall
	be mounted with the rear facing the interior wall and with enough space to service the
	rear components.
16	Floor-to-ceiling cabinets with doors shall be installed IAW Figure 1.
17	One Internal Telecommunications Patch Panel shall be installed IAW Figure 1
	(Requirement 49). Shelves shall be mounted IAW Figure 1.
18	The bottom corner of the interior wall shall be removed, IAW Figure 1, to provide a
	pathway for cables in and out of the storage room. The dimensions shall be
	approximately 5-x-5 inches.
19	The storage room shall be sound dampened to damp out computer equipment noise. If
	possible, wall thickness should be increased, insulated, and carpeted to maximize
	damping.

B. Main Room

The main room requirements are shown in Table 4.

Table 4. Main Room Requirements

Number	Requirement
20	The middle room shall be approximately 26 feet in length.
21	Desks/furniture at a standard height of 30 inches shall be installed, IAW Figure 1, to
	facilitate the use of computer equipment and provide a work area. The furniture need
	not be segmented as indicated in the figure; a single continuous desk is considered
	adequate. The two corner pieces of the desk shall be curved, as opposed to the
	rectangular depiction in the figure. Additionally, the desk shall have cut-outs near the
	wall to allow cabling to be run IAW Figure 1.

Table 4. Main Room Requirements (Concluded)

Number	Requirement
22	One cabinet with doors shall be installed above each corner desk area IAW Figure 1.
23	Six office-style chairs shall accompany the desk area. A means to secure the chairs
	during transport shall be provided. The Herman Miller WC420P (BK/BJ/DS/BK)
	stacking chair shall be used.
24	One 8-x-2 foot Folding Murphy Table shall be installed on the wall IAW Figure 1.
25	One 42-inch Liquid Crystal Display (LCD) High Definition Television (HDTV)
	monitor shall be mounted on the wall, centered above the desk area. The monitor shall
	have at least one D-subminiature (D-sub) Video Graphic Array (VGA) input, one
	Digital Visual Interface (DVI) input, one High Definition Multimedia Interface
	(HDMI) input, and one component input.

C. Galley

The galley requirements are shown in Table 5.

Table 5. Galley Requirements

Number	Requirement
26	The forward room shall be approximately 12 feet in length.
27	One full-size refrigerator shall be securely installed IAW Figure 1.
28	One microwave shall be securely installed IAW Figure 1.
29	One two-drawer safe shall be provided Government Furnished Equipment (GFE) and
	securely mounted IAW Figure 1.
30	One water bottle shall be securely installed IAW Figure 1, above, but not on top of,
	two-drawer safe in Requirement 29.
31	A counter with overhanging cabinets shall be installed, IAW Figure 1, to provide a
	food preparation and storage area.
32	One 6-x-2.5 foot oval/rounded table shall be securely installed IAW Figure 1.
33	Six folding chairs shall accompany the table and be securely stored during non-use
	IAW Figure 1.

IV. ELECTRICAL REQUIREMENTS

The electrical requirements are shown in Table 6.

Table 6. Electrical Requirements

Number	Requirement
34	The shore power cable specified in Requirement 7 shall use the Appleton Powertite
	ACP1044CD connector.
35	The shelter shall be rated for 120/240 VAC, 60 Hertz, 3-Phase, and 200 Amperage
	(AMPS) power.
36	Wire shall be a minimum of 14-American Wire Gauge (AWG), and all 120 VAC
	wiring shall be routed in vendor approved cable raceways. A circuit breaker panel
	shall be installed, housing the circuit breaker for each circuit.

Table 6. Electrical Requirements (Concluded)

Number	Requirement
37	One thermostat shall be installed in the main room.
38	Electrical circuits shall be installed to provide safe and load-balanced electrical power
	IAW Figure 2. The electrical outlets shall be installed low to the floor, IAW Figure 2,
	except where indicated.
39	One 110 volt/20 amp Ground Fault Interrupter (GFI) circuit shall be installed for
	refrigerator/microwave IAW Figure 2.
40	One 110 volt/20 amp circuit shall be installed for external use IAW Requirement 48.
41	One 220 volt/30 amp circuit shall be installed for the rack-mounted Uninterruptible
	Power Supply (UPS) located in the storage room IAW Figure 2.
42	The shelter shall provide lightning and surge protection for the 220 volt/30 amp circuit
	in the storage room.




Figure 2. Electrical/Data Layout

V. DATA AND COMMUNICATIONS REQUIREMENTS

The data and communications requirements are shown in Table 7.

Table 7. Data and Communications Requirements

Number	Requirement
43	Two separate networks shall be distributed from the rack area in the storage room. One
	network shall distribute either Belden DataTwist 350 Unshielded Twisted Pair (UTP)
	Number 1700A Solid (Category (CAT)-5e) cable, Belden DataTwist 350 patch
	Number 1752A Stranded (CAT-5e) cable, or Belden MediaTwist Number 1872A Solid
	(CAT-6) cable to Registered Jack (RJ)-45 sockets, IAW Figure 2, providing a
	Keyboard-Video-Mouse (KVM) network; one network shall distribute plenum-rated
	CAT-6 UTP cable to RJ-45 sockets, IAW Figure 2, providing a data network.
44	Dual RJ-45 sockets shall be installed low to the floor and external to the wall (not
	built-in) IAW Figure 2, except where indicated.
45	Panduit raceways shall distribute cabling from the rack area, through the wall cut-out,
	to the RJ-45 sockets along the bottom of the walls. Where necessary (for example,
	Murphy Table, Galley), Panduit raceways shall be run along the top of the walls. All
	cabling shall be color coded and marked appropriately on the ends.
46	Four 6-x-9 inch speakers shall be installed and recessed in the walls near the ceiling
	IAW Figure 1. If impossible to recess, speakers shall be mounted securely to walls.
47	The computer racks specified in Requirement 15 shall have at least one Alternating
	Current (AC) power strip mounted vertically near the rear. Horizontal and vertical
	cable management shall be installed.
48	One External Telecommunications Patch Panel shall be installed on the outside of the
	trailer. It shall be equipped with a weatherproof door that latches and locks. The panel
	shall be sized for 50-percent growth. The panel shall contain the following female
	connections: six CAT-6 RJ-45 (data) ports, six RJ-11 (voice) ports, two pair Straight
	Tip (ST) (fiber optic) connectors, two pair Standard Connector (SC) (fiber optic)
	connectors, eight Bayonet Neill-Concelman (BNC) connectors four of which are 50
	ohm and four of which are 75 ohm, two tactical Patriot Radar Weapon Control
	Interface Unit (RWCIU) sockets, one VGA DE15F port, one DE9F Recommended
	Standard (RS)-232 port, one DVI port, two stereo Radio Corporation of America
	(RCA) jacks, two Universal Serial Bus (USB) ports, two Institute of Electrical and
	Electronic Engineers (IEEE) 1394 Firewire ports, and two 110 volt/20 amp sockets. A
49	recommended layout for the patch panel is given in Figure 3. One Internal Telecommunications Patch Panel shall be installed IAW Requirement 17
47	providing the same female connections as specified in Requirement 48 (pin-to-pin),
	except for the two tactical Patriot RWCIU plugs, which shall be replaced with two
	female DE9 connectors wired IAW Table 8. Additionally, one stereo receiver shall be
	installed providing access to the speakers in Requirement 46. If impossible to install in
	patch panel, receiver shall be installed securely in immediate vicinity.
	paten panel, receiver shan be instance securely in ininectate vicinity.




Figure 3. Patch Panel Layout

Table 8. Wiring Diagram for External RWCIU to Internal DE9

ECS Connector Bendix MS17346R20C335	Signal	9-Pin Connector (Female)
C	Voice +	1
D	Voice -	2
E	Voice Shield	3
F	ECS RCV Shield	4
K	ECS TX Shield	5
A	ECS TX +	6
H	ECS TX -	7
В	ECS RCV +	8
J	ECS RCV -	9

Table 8. Wiring Diagram for External RWCIU to Internal DE9 (Concluded)

RS Connector Bendix MS17346R20C335	Signal	9-Pin Connector (Female)
C	Voice +	1
D	Voice -	2
E	Voice Shield	3
F	ECS RCV Shield	4
K	ECS TX Shield	5
A	RS RCV+	6
Н	RS RCV-	7
В	RS TX+	8
J	RS TX-	9

VI. SAFETY AND SECURITY REQUIREMENTS

The safety and security requirements are shown in Table 9.

Table 9. Safety and Security Requirements

Number	Requirement
50	Three smoke detectors shall be installed, one in each room.
51	Three fire extinguishers shall be securely mounted, one in each room.
52	The main side entrance door shall have an X-09 lock installed as well as a push-button
	combination lock, providing a two-step entry.
53	All outside-accessible openings (vents, and so forth) greater than 9-x-9 inches shall
	have metal bars preventing entry.

LIST OF ACRONYMS AND ABBREVIATIONS

AC Alternating Current

AMPS/amps Amperage

AWG American Wire Gauge

BNC Bayonet Neill-Concelman

CAT Category

D-sub D-subminiature

DVI Digital Visual Interface

GFE Government Furnished Equipment

GFI Ground Fault Interrupter

GPS Global Positioning System

HDMI High-Definition Multimedia Interface

HDTV High Definition Television

HVAC Heating, Ventilation, and Air Conditioning

IAW In Accordance With

IEEE Institute of Electrical and Electronic Engineers

KVM Keyboard-Video-Mouse LCD Liquid Crystal Display

PAC-3 Patriot Advanced Capability-3

RCA Radio Corporation of America

RJ Registered Jack

RS Recommended Standard

RWCIU Radar Weapon Control Interface Unit

SC Standard Connector

SSDD System Simulation and Development Directorate

ST Straight Tip

UPS Uninterruptible Power Supply

USB Universal Serial Bus

UTP Unshielded Twisted Pair

VAC Voltage Alternating Current

VEST Virtual Engagement Simulation Testbed

VGA Video Graphic Array

INITIAL DISTRIBUTION LIST

Weapon Systems Technology Information Analysis Center Alion Science and Technology 201 Mill Street Rome, NY 13440	Ms. Gina Nash gnash@alionscience.com	<u>Copies</u> Electronic
Defense Technical Information Center 8725 John J. Kingman Rd., Suite 0944 Fort Belvoir, VA 22060-6218	Mr. Jack L. Rike jrike@dtic.mil	Electronic
AMSAM-L	Ms. Anne C. Lanteigne anne.lanteigne@us.army.mil Mr. Michael K. Gray michael.k.gray@us.army.mi	Electronic
RDMR		Electronic
RDMR-CSI		Electronic
RDMR-SSL-M	Mr. Jeff Lyons jeff.lyons1@us.army.mil	Electronic/Hardcopy